

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product

OlyLife A9 Smart Anion BamaAir (Air purifier)

Name and address of the applicant

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD
1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian, China

Name and address of the manufacturer

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD
1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian, China

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

For main unit: 12VDC, 1.0A, 10W
For Adapter:
Input: 100-240V~, 50/60Hz, 0.5A, Class II, IP20
Output: 12VDC, 1.0A

Trademark (if any)

OlyLife

Customer's Testing Facility (CTF) Stage used

-

Model / Type Ref.

ZMY-A9

Additional information (if necessary may also be
reported on page 2)

-

A sample of the product was tested and found
to be in conformity withIEC 60335-2-65:2002 + A1:2008 + A2:2015
IEC 60335-1:2010 + A1:2013 + A2:2016
IEC 62368-1:2014As shown in the Test Report Ref. No. which
forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services (Singapore) Pte Ltd
5, Pereira Road, #06-01
Asiawide Industrial Building
Singapore 368025

intertek

Date: 24 July 2024

Signature:

Ong Keng Chuan

Test Verification of Conformity

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it <them>.

Once compliance with all product relevant  mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Applicant Name & Address:	XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD 1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian, China.
Product Description:	OlyLife A9 Smart Anion BamaAir (Air purifier)
Ratings & Principle Characteristics:	For main part: 12V===1.0A, 10W For Adapter: Input: 100-240V~, 50/60Hz, 0.5A, Class II, IP20; Output: 12V===1.0A
Models/Type References:	ZMY-A9
Brand Name:	OlyLife
Relevant Standards/Directives:	Household and similar electrical appliances —Safety— EN 60335-1:2012 + A11:2014 + A13:2017 + A1:2019 + A14:2019 + A2:2019 + A15:2021 / Part 1: General requirements EN 60335-2-65:2003 + A1:2008 +A11:2012: Particular requirements for air cleaning appliances EN 62233:2008 + AC:2008 / Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Longhua Branch 101, 201, Building B, No. 308 Wuhe Avenue, Zhangkengjing Community, GuanHu Subdistrict, LongHua District, Shenzhen, China.
Date of Tests:	January 02, 2024 to July 09, 2024
Test Report Number(s):	



Signature

Name: Leo Huang

Position: Reviewer

Date: July 11, 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product

Vitality Wand

Name and address of the applicant

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD
1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian, China

Name and address of the manufacturer

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD
1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian, China

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

220~240Vac, 50-60Hz, 1420W, Class II

Trademark (if any)

OlyLife

Customer's Testing Facility (CTF) Stage used

-

Model / Type Ref.

HF020

Additional information (if necessary may also be reported on page 2)

-

A sample of the product was tested and found to be in conformity with

IEC 60335-2-23:2016 + A1:2019
IEC 60335-1:2010 + A1:2013 + A2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services (Singapore) Pte Ltd
5, Pereira Road, #06-01
Asiawide Industrial Building
Singapore 368025

intertek

Date: 29 July 2024

Signature:

Ong Keng Chuan

Test Verification of Conformity

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s> /standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it<them>.

This document can be used in support of a claim in meeting relevant EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	XIAMEN OLYMIDO IMPORT&EXPORT CO.,LTD 1602-A, 503,Gaolin middle road,Huli District, Xiamen, Fujian, China
Product Description:	Eye Massager
Ratings & Principle Characteristics:	DC 5V 5W from adapter or DC 3.7V from battery
Models/Type References:	GALAXY G-ONE
Brand Names:	OlyLife
Specification<s>/Standards:	See Appendix
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. No.101&201, Building B, No.308, Wuhe Avenue, Zhangkengjing, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Date of Tests:	12 August 2024 to 28 August 2024
Test Report Number(s):	
Additional information in Appendix.	



Signature

Name: Damon Wang
Position: Team Leader
Date: 18 September 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number:

Specification<s>/Standards:

EN IEC 55014-1:2021: Electromagnetic Compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1 : Emission

EN IEC 61000-3-2:2019+A1:2021: Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current up to and including 16A per phase)

EN 61000-3-3:2013+A2:2021: Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16A$ per phase and not subject to conditional connection

EN IEC 55014-2:2021: Electromagnetic Compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 2: Immunity - Product family standard



Signature

Name: Damon Wang

Position: Team Leader

Date: 18 September 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



Ref. Certif. No.

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product

OlyLife H+ BAR (electrolyser)

Name and address of the applicant

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD
1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian,
China

Name and address of the manufacturer

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD
1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian,
China

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

5VDC, 2.0A

Trademark (if any)

OlyLife

Customer's Testing Facility (CTF) Stage used

-

Model / Type Ref.

YJ-2308

Additional information (if necessary may also be reported on page 2)

-

A sample of the product was tested and found to be in conformity with

IEC 60335-2-108:2008
IEC 60335-1:2010 + A1:2013 + A2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services (Singapore) Pte Ltd
5, Pereira Road, #06-01
Asiawide Industrial Building
Singapore 368025

intertek

Chew

Date: 29 August 2024

Signature:

Chew Keng Moh

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Trademark (if any)

Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body


THz Tera-P90

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD.
1602-A, 503, Gaolin Middle Road, Huli District, Xiamen, Fujian, China

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD.
1602-A, 503, Gaolin Middle Road, Huli District, Xiamen, Fujian, China

GUANGDONG UBORUI TECHNOLOGY CO., LTD.
HaiYi Road #1, LanHe Town, NanSha District, Guangzhou City, Guangdong, China

220-240 V~, 50-60Hz, 170W, Class I



-

P90

-

IEC 60335-2-115:2021
IEC 60335-1:2010 + A1:2013 + A2:2016



Signature: Ong Keng Chuan

Intertek Testing Services (Singapore) Pte Ltd
5, Pereira Road, #06-01
Asiawide Industrial Building
Singapore 368025

Date: 11 September 2024

Test Verification of Conformity

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

This document can be used in support of a claim in meeting relevant <EU>legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:

XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD
1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian, China
Thz Tera-P90

Product Description:

Models/Type References:

P90

Ratings & Principle

220-240 V~, 50-60 Hz, 270 W

Characteristics:

Brand Names:



Specification<s>/Standards:

EN IEC 55014-1:2021
EN IEC 55014-2:2021
EN IEC 61000-3-2:2019+A1:2021
EN 61000-3-3:2013+A1:2019+A2:2021

Verification Issuing Office Name
& Address:

Intertek Testing Services Shenzhen Ltd. Shunde Branch
Room 202/203/204, Block 8, Tianfulai International Industrial Park, No.3, Changfu
West Road, Rongli Community, Ronggui Subdistrict, Shunde District, Foshan,
Guangdong, China

Date of Tests:

12 March 2024-13 June 2024

Test Report Number(s):

Signature

Name: Owen Huang

Position: Team Leader

Date: 15 August 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

CERTIFICATE



Test Report / Technical Construction File no.

Certificate's
Holder:

XIAMEN OLYMIDO IMPORT & EXPORT CO., LTD.
1602, Dingfeng Fortune Center, 503, Gaolin middle road, Huli
District, Xiamen, Fujian, China

Certification
ECM Mark



Product:

THz Tera-P90+

Brand:



Model(s):

P90+

Verification to:

Standard:

EN 61326-1:2013, EN 61010-1:2010/A1:2019,
EN IEC 61000-3-2:2019/A1:2021,
EN 61000-3-3:2013/A1:2019/A2:2021

related to CE Directive(s):

2014/35/EU (Low Voltage)
2014/30/EU (Electromagnetic Compatibility)

Remark:

The manufacturer has voluntarily decided to submit its documents concerning the above-mentioned product for verification. Ente Certificazione Macchine confirms that the documentation made available and immediately returned to it, as containing sensitive data, meets the essential requirements of the above-mentioned directive/standard. The verification activity carried out exclusively concerned the technical documentation and no verification was carried out on the product. This document cannot replace the EC Declaration of Conformity. This document was issued in accordance with regulation RGVOL01 published on the website of www.entecerma.it and concerning voluntary certifications with a non-notified procedure.

Issuance date: 24 November 2023

Expiry date: 23 November 2028

Approver
Ente Certificazione Macchine
Legal Representative
Luca Bedonni



Ente Certificazione Macchine Srl

Via Ca' Bella, 243 - Loc. Castello di Serravalle - 40053 Valsamoggia (BO) - ITALY
☎ +39 051 6705141 📠 +39 051 6705156 ✉ info@entecerma.it 🌐 www.entecerma.it

Test Verification of Conformity

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s> /standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it<them>.

This document can be used in support of a claim in meeting relevant EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	XIAMEN OLYMIDO IMPORT&EXPORT CO.,LTD 1602-A, 503,Gaolin middle road,Huli District, Xiamen, Fujian, China
Product Description:	VITALITY WAND
Ratings & Principle Characteristics:	185-250V~ 50Hz
Models/Type References:	HF020
Brand Names:	OlyLife
Specification<s>/Standards:	See Appendix
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. No.101&201, Building B, No.308, Wuhe Avenue, Zhangkengjing, Guanhu Subdistrict, Longhua District, Shenzhen, Guangdong, China
Date of Tests:	08 May 2024 to 22 May 2024
Test Report Number(s):	
Additional information in Appendix.	



Signature

Name: Damon Wang
Position: Team Leader
Date: 31 July 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number:

Specification<s>/Standards:

EN IEC 55014-1:2021: Electromagnetic Compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1 : Emission

EN IEC 61000-3-2:2019+A1:2021: Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current up to and including 16A per phase)

EN 61000-3-3:2013+A2:2021: Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16A$ per phase and not subject to conditional connection

EN IEC 55014-2:2021

Electromagnetic Compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 2: Immunity - Product family standard



Signature

Name: Damon Wang
Position: Team Leader
Date: 31 July 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Test Verification of Conformity

On the basis of the tests undertaken, the samples of the below product have been tested by an accredited 3rd party laboratory in accordance to the referenced standards at the time the tests were carried out. This verification is part of the full test report and should be read in conjunction with it.

This document can be used in support of a claim in meeting relevant EU legislation and mandatory Conformity Marking. And in accordance with EU law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	XIAMEN OLYMIDO IMPORT&EXPORT CO., LTD 1602-A, 503, Gaolin middle road, Huli District, Xiamen, Fujian, China
Ratings & Principle Characteristics:	220~240Vac, 50-60Hz, 1420W, Class II
Models/Type References:	HF020
Brand Name:	OlyLife
Relevant Standards/Directives:	Household and similar electrical appliances — Safety— EN 60335-1:2012 + AC:2014 + A11:2014 + A13:2017 + A1:2019 + A14:2019 + A2:2019 + A15:2021 / Part 1: General requirements EN 60335-2-23:2003 + A1:2008 + A11:2010 + A2:2015/Particular requirements for appliances for skin or hair care EN 62233:2008 + AC:2008 / Measurement methods for electromagnetic fields of household appliances and similar apparatus with regard to human exposure Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Longhua Branch 101, 201, Building B, No. 308 Wuhe Avenue, Zhangkengjing Community, GuanHu Subdistrict, LongHua District, Shenzhen, China
Date of Tests:	April 29, 2024– July 24, 2024
Test Report Number(s):	



Signature

Name: Leo Huang

Position: Reviewer

Date: July 24, 2024

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Registered / Eingetragen 28/08/2023

No 015032327-0001



**EUROPEAN UNION INTELLECTUAL
PROPERTY OFFICE
CERTIFICATE OF REGISTRATION**

This Certificate of Registration is hereby issued for the Registered Community Design identified below. The corresponding entries have been recorded in the Register of Community Designs.

**AMT DER EUROPÄISCHEN UNION FÜR
GEISTIGES EIGENTUM
EINTRAGUNGSRURKUNDE**

Diese Eintragungsurkunde wird für das unten genannte eingetragene Gemeinschaftsgeschmacksmuster ausgestellt. Die entsprechenden Einträge sind in das Register für Gemeinschaftsgeschmacksmuster aufgenommen worden.

*The Executive Director / Der
Exekutivdirektor*

Christian Archambeau




www.euipo.europa.eu




21 015032327-0001
25 EN - DE
22 28/08/2023
15 28/08/2023
45 30/08/2023
11 015032327-0001
72 Siyi WANG
73 XIAMEN OLYMIDO IMPORT AND EXPORT CO., LTD
1809, NO.503, GAOLIN MIDDLE ROAD, HULI DISTRICT
XIAMEN, FUJIAN PROVINCE 361016
REPÚBLICA POPULAR DE CHINA
74 Ákos Süle
Rungestr. 25
D-10179 Berlin
ALEMANIA
51 28 - 03
54 BG - Уреди за масаж на стъпалата
ES - Aparatos de masaje para los pies
CS - Masážní přístroje na nohy
DA - Massageapparater til fødder
DE - Fußmassagegeräte
ET - Jalamassaažiaparaadid
EL - Συσκευές μαλάξεων (μασάζ) για τα πόδια
EN - Foot massage appliances
FR - Appareils de massage pour les pieds
IT - Apparecchi per massaggi ai piedi
LV - Kāju pēdu masāžas aparāti
LT - Kojų masažavimo aparatai
HR - Naprave za masažu stopala
HU - Lábmasszírozó készülékek
MT - Apparat għal massaġġi fis-saqajn
NL - Voetmassageapparatuur
PL - Urządzenia do masażu stóp
PT - Aparelhos de massagem para os pés
RO - Aparate de masaj pentru picioare
SK - Spotřebiče na masáž chodidiel
SL - Priprave za masažo stopal
FI - Jalkahierontalaitteet
SV - Fotmassageapparater


30 -
55




0001.1




0001.2




0001.3




0001.4



0001.5



0001.6



0001.7

Registered / Eingetragen 07/11/2023

No 015040042-0001



**EUROPEAN UNION INTELLECTUAL
PROPERTY OFFICE
CERTIFICATE OF REGISTRATION**

This Certificate of Registration is hereby issued for the Registered Community Design identified below. The corresponding entries have been recorded in the Register of Community Designs.

**AMT DER EUROPÄISCHEN UNION FÜR
GEISTIGES EIGENTUM
EINTRAGUNGSRURKUNDE**

Diese Eintragungsurkunde wird für das unten genannte eingetragene Gemeinschaftsgeschmacksmuster ausgestellt. Die entsprechenden Einträge sind in das Register für Gemeinschaftsgeschmacksmuster aufgenommen worden.

*The Executive Director / Der
Exekutivdirektor*

João Negrão



www.euipo.europa.eu



21 015040042-0001
25 EN - DE
22 07/11/2023
15 07/11/2023
45 08/11/2023
11 015040042-0001
72 Siyi WANG
73 XIAMEN OLYMIDO IMPORT AND EXPORT CO., LTD
1809, NO.503, GAOLIN MIDDLE ROAD, HULI DISTRICT
XIAMEN, FUJIAN PROVINCE 361016
REPÚBLICA POPULAR DE CHINA

74 Ákos Süle
Rungestr. 25
D-10179 Berlin
ALEMANIA

51 28 - 03

54 BG - Уреди за масаж

ES - Aparatos de masaje

CS - Masážní vybavení

DA - Massageapparater

DE - Massagegeräte

ET - Massaažiseadmed

EL - Συσκευές μαλάξεων (μασάζ)

EN - Massage appliances

FR - Appareils de massage

IT - Apparecchi per massaggi

LV - Masāžas aparāti

LT - Masažavimo aparatai

HR - Aparati za masažu

HU - Masszírozó eszközök és berendezések

MT - Apparat għall-massaġġi

NL - Massageapparaten

PL - Urządzenia do masażu

PT - Aparelhos de massagem

RO - Aparate de masaj


SK - Masážne prístroje

SL - Masažni aparati


FI - Hierontalaitteet

SV - Massageapparater

30 -
55




0001.1




0001.2



0001.3



0001.4



0001.5



0001.6



0001.7

Registered / Eingetragen 07/11/2023

No 015040043-0001



**EUROPEAN UNION INTELLECTUAL
PROPERTY OFFICE
CERTIFICATE OF REGISTRATION**

This Certificate of Registration is hereby issued for the Registered Community Design identified below. The corresponding entries have been recorded in the Register of Community Designs.

**AMT DER EUROPÄISCHEN UNION FÜR
GEISTIGES EIGENTUM
EINTRAGUNGSRURKUNDE**

Diese Eintragungsurkunde wird für das unten genannte eingetragene Gemeinschaftsgeschmacksmuster ausgestellt. Die entsprechenden Einträge sind in das Register für Gemeinschaftsgeschmacksmuster aufgenommen worden.

*The Executive Director / Der
Exekutivdirektor*

João Negrão




www.euipo.europa.eu




21 015040043-0001
25 EN - DE
22 07/11/2023
15 07/11/2023
45 08/11/2023
11 015040043-0001
72 Siyi WANG
73 XIAMEN OLYMIDO IMPORT AND EXPORT CO., LTD
1809, NO.503, GAOLIN MIDDLE ROAD, HULI DISTRICT
XIAMEN, FUJIAN PROVINCE 361016
REPÚBLICA POPULAR DE CHINA
74 Ákos Süle
Rungestr. 25
D-10179 Berlin
ALEMANIA
51 28 - 03
54 BG - Уреди за масаж
ES - Aparatos de masaje
CS - Masážní vybavení
DA - Massageapparater
DE - Massagegeräte
ET - Massaažiseadmed
EL - Συσκευές μαλάξεων (μασάζ)
EN - Massage appliances
FR - Appareils de massage
IT - Apparecchi per massaggi
LV - Masāžas aparāti
LT - Masažavimo aparatai
HR - Aparati za masažu
HU - Masszírozó eszközök és berendezések
MT - Apparat għall-massaġġi
NL - Massageapparaten
PL - Urządzenia do masażu
PT - Aparelhos de massagem
RO - Aparate de masaj
SK - Masážne prístroje
SL - Masažni aparati
FI - Hierontalaitteet
SV - Massageapparater


30 -
55




0001.1




0001.2




0001.3




0001.4



0001.5



0001.6



0001.7

Registered / Eingetragen 10/01/2024

No 015046939-0001



EUROPEAN UNION INTELLECTUAL
PROPERTY OFFICE
CERTIFICATE OF REGISTRATION

This Certificate of Registration is hereby issued for the
Registered Community Design identified below. The
corresponding entries have been recorded in the
Register of Community Designs.

AMT DER EUROPÄISCHEN UNION FÜR
GEISTIGES EIGENTUM
EINTRAGUNGSRURKUNDE

Diese Eintragungsurkunde wird für das unten genannte
eingetragene Gemeinschaftsgeschmacksmuster
ausgestellt. Die entsprechenden Einträge sind in das
Register für Gemeinschaftsgeschmacksmuster
aufgenommen worden.

The Executive Director / Der
Exekutivdirektor

João Negrão




www.euipo.europa.eu




21 015046939-0001
25 EN - DE
22 10/01/2024
15 10/01/2024
45 12/01/2024
11 015046939-0001
72 Siyi WANG
73 XIAMEN OLYMIDO IMPORT AND EXPORT CO., LTD
1809, NO.503, GAOLIN MIDDLE ROAD, HULI DISTRICT
XIAMEN, FUJIAN PROVINCE 361016
REPÚBLICA POPULAR DE CHINA
74 Ákos Süle
Rungestr. 25
D-10179 Berlin
ALEMANIA
51 28 - 03
54 BG - Уреди за масаж на стъпалата
ES - Aparatos de masaje para los pies
CS - Masážní přístroje na nohy
DA - Massageapparater til fødder
DE - Fußmassagegeräte
ET - Jalamassaažiaparaadid
EL - Συσκευές μαλάξεων (μασάζ) για τα πόδια
EN - Foot massage appliances
FR - Appareils de massage pour les pieds
IT - Apparecchi per massaggi ai piedi
LV - Kāju pēdu masāžas aparāti
LT - Kojų masažavimo aparatai
HR - Naprave za masažu stopala
HU - Lábmasszírozó készülékek
MT - Apparat għal massaġġi fis-saqajn
NL - Voetmassageapparatuur
PL - Urządzenia do masażu stóp
PT - Aparelhos de massagem para os pés
RO - Aparate de masaj pentru picioare
SK - Spotřebiče na masáž chodidiel
SL - Priprave za masažo stopal
FI - Jalkahierontalaitteet
SV - Fotmassageapparater


30 -
55




0001.1




0001.2



0001.3




0001.4



0001.5



0001.6



0001.7